

MOEN® 摩恩

SPECIFICATIONS 规格书

产品主要特点 Main Features of the Product:

座圈加热、抗菌座圈、座圈感应、旋钮控制、来电自启、
停电冲水、预润净瓷、安全保护、自动断电和抗菌喷枪等。

Seat Heating, Antibacterial Seat, Sitting Sensor, Knob Control,
Auto-start, Emergency Flushing, Pre-flushing, Safety Protection,
Automatic Power Off, Antibacterial Nozzle, etc.

产品规格 Product Specifications: 662mm*400mm*525mm

冲水方式 Flush Mode: 喷射虹吸式 Siphon Flush

坑距 Pit Distance: 305mm (SW1302C)
400mm (SW1302D)
305mm (SW1303C)
400mm (SW1303D)

供水压力范围 Inlet Water Pressure Range: 0.14MPa-0.75MPa

输入 Input: 220V ~ 50Hz

额定功率 Rated Power: 1200W

电击防护类别 Electric Shock Protection Category: TYPE I

防水等级 Waterproof Level: IPX4


安全装置 Security Device:

温度传感控制系统、熔断器、温度传感器系统、防干烧系统、
过温保护系统、水电隔离系统、可恢复温度开关
Temperature Sensing Control System, Fuse, Temp Sensor Control System,
Dry Burning-Resistant Protection Device, Over Temp Protection System,
Water and Electricity Isolation System, Temperature Reset Swith

执行标准 Execute Standard:

(凡不注明日期, 即为最新版本 Unless otherwise dated,
it is considered to be the latest version)

GB/T 6952-2015
GB/T 23131-2019
GB 38448-2019



伊娃系列

智能坐便器

EVA Series


Intelligent Toilet

MODELS: SW1302C (305mm)
SW1302D (400mm)
SW1303C (305mm)
SW1303D (400mm)


注意: 本公司保留随时变更图中
标示尺寸的权利, 无需另行通知。

Note: The company reserves the
right to change the dimensions on
the drawing without prior notice.


完工墙面
Completion of metope



侧面图 Side View



正视图 Front View



俯视图 Top View


功能表 Function Table

功能分类 Functional Classification	功能 Function 型号 Model	SW1302C/D 香槟金 Golden	SW1303C/D 太空银 Silver
清洗类 Cleaning	臀洗 Rear Wash	●	●
	妇洗 Front Wash	●	●
	强力洗 Strong Rear Wash	●	●
	往复清洗 Moving Wash	●	●
	气泡清洗 Air Bubble Wash	●	●
	水压调节 Water-pressure Adjustment	●	●
	水温调节 Water Temperature Adjustment	●	●
	喷嘴位置调节 Nozzle Position Adjustment	●	●
	喷嘴自洁 Nozzle Self Cleaning	●	●
	喷嘴保养 Nozzle Maintenance	●	●
舒适类 Comfort	座圈加热 Seat Heating	●	●
	暖风烘干 Wind Drying	●	●
	座温调节 Seat Temperature Adjustment	●	●
	风温调节 Wind Drying Adjustment	●	●
	自动除臭 Automatic Deodorization	●	●
	座盖缓降 Soft-close Cover	●	●
	座圈缓降 Soft-close Seat	●	●
	LED夜灯 Night Light	●	●
	即热恒温 Instant Heating	●	●
节能环保类 Energy Saving And Convenience	遥控控制 Remote Control	●	●
	侧边旋钮 Side Turning Knob	●	●
	来电自启 Auto-start	●	●
	座圈感应 Sitting Sensor	●	●
	遥控冲水 Remote Control Flushing	●	●
	侧边键冲水 Side Button Flushing	●	●
	离座冲水 Automatic Flushing	●	●
	停电冲水 Emergency Flushing	●	●
安全环保类 Safety And Environmental Protection	自动断电 Automatic Power Off	●	●
	抗菌座圈 Antibacterial Seat	●	●
	易洁釉面 Easy Clean Glaze	●	●
	预润净瓷 Pre-flushing	●	●
	安全保护 Safety Protection	●	●
	喷枪紫外线杀菌 Nozzle UV Sterilization	●	●

备注：● 代表产品有此功能。

Note: ● indicates that the product has this function.

遥控器的使用说明 Remote Control Use Instructions



	指示灯状态 Indicator state	座温 Seat temperature	水温 Water temperature	风温 Wind temperature	喷嘴位置 Nozzle position	水压 Water pressure
指示灯 Indicator	1个灯亮 1 lignht on	关档 / closure	关档 / closure	35℃	1档 / 1 gear	1档 / 1 gear
	2个灯亮 3 lignhts on	33℃	33℃	42℃	2档 / 2 gear	2档 / 2 gear
	3个灯亮 5 lignhts on	36℃	36℃	48℃	3档 / 3 gear	3档 / 3 gear
	4个灯亮 5 lignhts on	39℃	39℃	54℃	4档 / 4 gear	4档 / 4 gear


※以上温度仅为参考值。
※指示灯默认指示当前座圈温度的状态，当激活其他功能按键时，显示当前激活功能的档位状态，功能操作完毕，恢复到默认指示座圈温度。

※The above temperature is only a reference value.
※The indicator lamp indicates the current seat temperature status by default. When other function buttons are activated, the gear status of the currently activated function is displayed. After the function operation is completed, it will return to the default indicating seat temperature.

侧面旋钮的使用说明 Side Turning Knob Use Instructions

电源Power/关机Shutdown

待机时，长按旋钮3秒关机，指示灯熄灭。
关机时，前旋/后旋/按压等动作均会开机，产品自动进入待机状态。
When in standby, press and hold the knob for 3 seconds to shut down, and the indicator light goes out.
When it is turned off, the work such as forward rotation/back rotation/pressing will be turned on, and the product will automatically enter the standby state.



智能臀洗Smart rear wash

开机着座并且无操作时
旋钮后旋，先臀洗1分钟，再执行冲水，然后暖风烘干2分钟。
快速烘干：臀洗过程中旋钮再次往后旋，停止臀洗，先执行冲水，开启暖风烘干。
停止：臀洗/烘干过程中,按压旋钮，进入待机模式。
When powered on and seated without operation
Turn the knob back, rear wash for 1 minute, then flush, and then dry in warm air for 2 minutes.
Fast drying: Turn the knob back again during the rear washing process, stop rear washing, will first perform flushing, then turn on the warm air drying.
Stop: During rear washing/drying process, press the knob to enter standby mode.

智能妇洗Smart front wash

开机着座并且无操作时
旋钮前旋，先妇洗1分钟，再执行冲水，然后暖风烘干2分钟。
快速烘干：妇洗过程中旋钮再次往前旋，停止妇洗，先执行冲水，再开启暖风烘干。
停止：妇洗/烘干过程中，按压旋钮，进入待机模式。
When powered on and seated without operation
Turn the knob forward, front wash for 1 minute, then flush, and then dry in warm air for 2 minutes.
Fast drying: Turn the knob forward again during the front washing process, stop front washing, will first perform flushing, then turn on the warm air drying.
Stop: During front washing/drying process, press the knob to enter standby mode.

冲水Flush

待机时按压旋钮启动大冲水。
待机时快速按压旋钮2次，启动小冲水。
When in standby, press the knob to start a big flush.
When in standby, quickly press the knob twice to start a small flush.

旋钮灯光Knob lights

状态 mode	灯光颜色 Light color
待机状态 Standby mode	浅白色 Light white
冲水模式 Flush mode	亮白色 Bright white
臀洗/妇洗模式 Rear wash/Front wash mode	中白色 Medium white
暖风烘干模式 Warm air drying mode	亮白色 Bright white